

SECTION 1 - SUBSTANCE IDENTITY AND COMPANY INFORMATION

Product Name: Human Pancreatic Type 1 Diabetic Islets of Langerhans Extracellular Matrix

CELPROGEN Catalog #: As indicated in the table with the various configurations:

Catalog	Description
E35001-03-T25	Human Pancreatic Type 1 Diabetic Islets of Langerhans Extracellular Matrix - T25 Flask (10/Pk)
E35001-03-T75	Human Pancreatic Type 1 Diabetic Islets of Langerhans Extracellular Matrix - T75 Flask (5/Pk)
E35001-03-T150	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM Matrix - T150 Flasks (5/pk)
E35001-03-T225	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM Matrix - T225 Flasks (5/pk)
E35001-03-4Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 4 Well Plates (5/Pk)
E35001-03-4MCS	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 4 Well Microscope Chamber Slides
E35001-03-MS4	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM-4 Well Microscope Slide
E35001-03-6Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 6 Well Plates (5/Pk)
E35001-03-8MCS	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 8 Well Microscope Chamber Slides
E35001-03-MS8	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM-8 well Microscope Slide
E35001-03-MS10	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM-10 Well Microscope Slides
E35001-03-12Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 12 Well Plates (5/Pk)
E35001-03-MS18	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 18 Well Microscope Slides
E35001-03-24Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 24 Well Plates (5/Pk)
E35001-03-48Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 48 Well Plates (5/Pk)
E35001-03-96Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM - 96 Well Plates (5/Pk)
E35001-03-96WW	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 96 White Well Plates (5/pk)
E35001-03-96BW	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 96 Black Well Plates (5/pk)
E35001-03-384WW	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 384 White Well Plates (5/pk)
E35001-03-384BW	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 384 Black Well Plates (5/pk)
E35001-03-CS12	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 12mm coverslips (10/pk)
E35001-03-CS15	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 15mm coverslips (10/pk)
E35001-03-CS18	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 18mm coverslips (10/pk)
E35001-03-CS22	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 22mm coverslips (10/pk)
E35001-03-CS25	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM - 25mm coverslips (10/pk)
E35001-03-PD6	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 6cm Petri Dish (5/pk)
E35001-03-PD10	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM- 10cm Petri Dish (5/pk)
E35001-03-6W-GB	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM-6 Well Glass Bottom Plates (5/pk)
E35001-03-96W-GB	Human Pancreatic Type 1 Diabetic Islets of Langerhans ECM-96 Well Glass Bottom Plates (5/pk)

3914 Del Amo Blvd. Suite 901 Torrance, CA 90503 USA www.celprogen.com Phone: 310 542 8822 Fax: 310 542 8028



•		
	E35001-03-3D-6Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans al 3D Cell Culture System ECM 6
		Well (1/pk)
	E35001-03-3D-12Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans al 3D Cell Culture System ECM
		12 Well (1/pk)
	E35001-03-3D-24Well	Human Pancreatic Type 1 Diabetic Islets of Langerhans al3D Cell Culture System ECM 24
		Well (1/pk)

COMPANY INFORMATION: CELPROGEN INC.

3914 DEL AMO BLVD.

SUITE 901

FOR INFORMATION CALL: 310-542-8822 **AFTER-HOURS CONTACT**: 310-866-6436

CHEMTREC EMERGENCY: 310-542-8822

SECTION 2 - HAZARDS IDENTIFICATION

GHS Symbol: NA Signal Word: NA

HMIS Rating: Health: 0 Flammability: 0 Reactivity: 0

NFPA Rating: Health: 0 Flammability: 0 Reactivity: 0

Route of Exposure

Eye Contact: Data not available. Skin Contact: Data not available. Skin Absorption: Data not available.

Inhalation: May be harmful if inhaled. Material may be irritating to mucous membranes and upper

respiratory tract.

Ingestion: May be harmful if swallowed..

Chronic: No Information Found

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Cell Culture Extracellular Matrix (ECM).

CAS#: N/A

This substance contains no ingredients at concentrations to be considered hazardous as Defined by OSHA 29CFR 1910.1200 however this Product should be Handled according to Good lab practices, with proper personal protective equipment, proper engineering controls and within the parameters of the purchaser's chemical hygiene plan.

Phone: 310 542 8822

Fax: 310 542 8028

Extracellular Matrix is a mixture of components that may include, but is not limited to: inorganic salts, vitamins, amino acids, carbohydrates and other nutrients Dissolved in water.

This substance contains no Ingredients at concentrations to be considered hazardous as defined by OSHA 29CFR

1910.1200 however this Product Should be handled according to good lab practices, with proper personal protective **Celprogen Inc.**

3914 Del Amo Blvd. Suite 901 Torrance, CA 90503 USA www.celprogen.com



equipment, proper engineering controls and within the parameters of the purchaser's chemical hygiene plan.

SECTION 4-

FIRST AID MEASURES

Report to your Safety Office and Seek Medical Attention as Soon as Possible

Ingestion: If person is unconscious seek emergency medical attention; never give anything by mouth to an unconscious person. If the person is conscious wash mouth out with copious amounts of water and call a physician. Do not Induce vomiting unless Directed to Do so by a physician.

Inhalation: If person is unconscious seek emergency medical attention, if person is conscious remove to fresh air and call a physician.

Dermal exposure: Immediately wash skin with copious amounts of water followed by washing with soap and copious amounts of water. Remove all contaminated clothing.

Eye exposures: Flush eyes with copious amounts of water for at least 15 minutes with eyelids separated and call a physician.

Notes to Physician: Treat symptomatically and supportively.

SECTION 5 -

FIRE FIGHTING MEASURES

General: Wear Self-Contained breathing apparatus in pressure Demand, MSHA/NIOSH approved. During a fire, Irritating and toxic gases may be generated by thermal Decomposition.

Extinguishing Media: Water spray, carbon Dioxide, Dry chemical powder, Halon (where regulations permit), or appropriate foam.

Autoignition Temperature: N/A

Explosion limits: N/A

Flash Point: Not Available

SECTION 6-

ACCIDENTAL RELEASE MEASURES

Use Personal Protective Equipment: Including Chemical Splash Goggles, Chemical Resistant Gloves, and appropriate clothing to prevent skin exposure. In addition, a Respiratory protection program that complies with OSHA

29 CFR 1910.134 and ANSI Z88.2 requirements or European Standards EN 149 must be followed whenever workplace conditions warrant respirator use.

Methods for Cleaning Up

Patient/Victim: Wash with soap and water. Work clothes Should be laundered separately. Launder contaminated Celprogen Inc.

Phone: 310 542 8822

Fax: 310 542 8028

3914 Del Amo Blvd. Suite 901 Torrance, CA 90503 USA www.celprogen.com



clothing before re-use. Do not take clothing home.

Equipment/Environment: Allow aerosols to settle; wearing protective clothing, gently cover spill with paper towel

and apply 1% sodium hypochlorite, starting at perimeter and working towards the center; allow sufficient contact time before cleanup (30 min).

Note: The use of Additional PPE may be necessary for cleaning solutions.

SECTION 7 -

HANDLING AND STORAGE

Handle and store according to instructions on product information sheet and label.

Special Requirements:

Follow established laboratory procedures when handling material.

SECTION 8 -

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: The use and storage of this material requires user to maintain and make available appropriate eyewash and safety shower facilities. Use fume hood or other appropriate ventilation method to keep airborne concentrations a low as possible.

Personal Protective Equipment: Including Safety Glasses or goggles, Chemical Resistant Gloves, and appropriate clothing to prevent skin exposure. In addition, a Respiratory protection program that complies with OSHA 29 CFR

1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.

Exposure Limits: No exposure limits for this material have been established by ACGIH, NIOSH, or OSHA. There is no Vacated OSHA PEL for this material.

SECTION 9 -

PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid

Extracellular is a mixture of components that may include, but is not limited to inorganic salts, vitamins, amino acids, carbohydrates and other nutrients Dissolved in water.

No Information is available for PH, Vapor Pressure, Vapor Density, Evaporation Rate, Viscosity, Boiling Point,

Freezing/Melting Point, Decomposition Temperature, Solubility, Specific Gravity/Density, or Molecular Weight.

Celprogen Inc.

3914 Del Amo Blvd. Suite 901 Torrance, CA 90503 USA www.celprogen.com Phone: 310 542 8822

Fax: 310 542 8028



SECTION 10 - STABILITY AND REACTIVITY

Chemical Stability: Stable

Conditions to Avoid: No information available.

Hazardous Decomposition Products: No information available.

Hazardous Polymerization: Will not occur.

SECTION 11 -

TOXICOLOGICAL INFORMATION

No Information was Found in relation to: RTECS, LD50/LC50, Carcinogenicity, Epidemiology, Teratogenicity, Reproductive effects, Mutagenicity, or Neurotoxicology.

No Information was found in relation to: RTECS, LD50/LC50, Carcinogenicity, Epidemiology, Teratogenicity, Reproductive effects, Mutagenicity, or Neurotoxicology.

Note: The toxicological properties of this substance have not been fully investigated.

SECTION 12 -

ECOLOGICAL INFORMATION

No ecological information available.

SECTION 13 -

DISPOSAL CONSIDERATIONS

Hazardous waste generators are required to Determine if a Discarded chemical is classified as a hazardous waste according to 40 CFR Part 261.3. In addition waste generators must consult about and comply with all state and local regulations to ensure compliance.

SECTION 14-

TRANSPORT INFORMATION

Land Transport (ADR/RID): Not a Dangerous good in sense of this transport regulation. Inland water ways transport (ADN): Not a Dangerous good in sense of this transport regulation.

Sea Transport (IMDG): Not a Dangerous good in sense of this transport regulation. Air Transport (ICAQ-TP / IATA-DGR): Not a Dangerous good in sense of this transport regulation DOT Classification: Not a DOT controlled material (United States)

SECTION 15 -

REGULATORY INFORMATION

This substance is not listed on the TSCA Inventory. It is for research and Development use only.

This substance is not SARA listed.

Celprogen Inc.

3914 Del Amo Blvd. Suite 901 Torrance, CA 90503 USA www.celprogen.com Phone: 310 542 8822 Fax: 310 542 8028



US Federal Regulations: SARA 313: This Product is not regulated by SARA CAA, Section 112, and Hazardous Air Pollutants (HAPs) (40 CFR 61): This Product Does not contain HAPs.

US State Regulations: California Proposition 65: This product Does not contain chemicals listed under Proposition 65.

SECTION 16-

OTHER INFORMATION

THE INFORMATION PRESENTED IN THIS DOCUMENT IS BELIEVED TO BE CORRECT BASED UPON DATA AVAILABLE TO CELPROGEN. USERS SHOULD MAKE AN INDEPENDENT DECISION REGARDING THE ACCURACY OF THIS INFORMATION BASED ON THEIR NEEDS AND DATA AVAILABLE TO THEM. ALL SUBSTANCES AND MIXTURES MAY PRESENT UNKNOWN HAZARDS AND ALL NECESSARY SAFETY PRECAUTIONS SHOULD BE TAKEN. CELPROGEN ASSUMES NO LIABILITY RESULTING FROM USING OR COMING IN CONTACT WITH THIS SUBSTANCE.

Torrance, CA 90503 USA www.celprogen.com

Phone: 310 542 8822

Fax: 310 542 8028