3914 Del Amo Blvd Suite 901 Torrance, CA 90503 www.celprogen.com



Phone: 310 542 8822 Fax: 310 542 8028 Email: info@celprogen.com stemcells@celprogen.com

## **DATA SHEET**

**Product name:** Human Cardiomyocyte transdifferentiated from Human Stem Cells - T225 Plated

Cells

**Catalog number:** 36003-04-T225

**Description:** 

Human Cardiomyocyte transdifferentiated from Human Stem Cells T225 Plated Cells. Also available in T25, T75, and T150 tissue culture flasks with plated Cells, shipped at room temperature or Frozen vial shipped in Dry-ice. They were maintained in Celprogen's Human Cardiomyocyte transdifferentiated from Human Stem Cells Complete Growth Medium and sub-cultured every 24 to 48 hours on Human Cardiomyocyte transdifferentiated from Human Stem

Cells Extra-cellular Matrix.

**Source:** Human Cord Blood

**Mycoplasma test:** Negative-PCR and mycoplasma agar methods

**Sterility**: Negative for bacteria, yeast, and mold

## **Storage Conditions:**

Liquid nitrogen vapor phase for frozen Ampule of Human Cardiomyocyte transdifferentiated from Human Stem Cells. For plated cells in tissue culture flask, upon receipt of the cells wipe the flask with 70% ethanol and transfer to sterile tissue culture hood. In the tissue culture hood remove the media of the cells and wash the cells with 1X PBS sterile solution, for 2-3 minutes, remove the PBS solution and then trypsinize. After trypsinization of the Cells neutralize the trypsin with equal volume of Human Cardiomyocyte transdifferentiated from Human Stem Cells Complete Growth Media with serum and collect the Cell suspension in sterile conical centrifuge tube in the tissue culture hood. Centrifuge the cell suspension at 100g for 7 minutes in centrifuge. Plate cells  $5x10^5$  cells per pre-coated flasks with Human Cardiomyocyte transdifferentiated from Human Stem Cells Extra-cellular Matrix for Expansion in Human Cardiomyocyte transdifferentiated from Human Stem Cells Complete Growth Medium.

**Tests Performed:** Microbial: Negative

Incorporation of acetylated Low Density Lipoprotein (LDL): Positive

**Positive Markers:** Troponin T, Troponin I, Myogenin, alpha-Actin, MEF 2C transcription

factor, CD117, NKx2.5, KDR & Nestin

Morphology

& Proliferation: Mixed population of cells with approximately 95% attached cells and the other

5.0% in suspension, need to change cell culture media every day after 48 hours of

3914 Del Amo Blvd Suite 901 Torrance, CA 90503 www.celprogen.com



Phone: 310 542 8822 Fax: 310 542 8028 Email: info@celprogen.com stemcells@celprogen.com

initial cell culture or when the media starts changing color to slight yellow for pink. Fast growing cell culture. Change media with Celprogen's Human Cardiomyocyte transdifferentiated from Human Stem Cells - T225 Plated Cells Complete Growth Medium with the appropriate Human Cardiomyocyte transdifferentiated from Human Stem Cells - T225 Plated Cells Extra-cellular Matrix. Temperature 37°C in 5% CO<sub>2</sub> humidified incubator.

## **Sub-culturing:**

- 1. Thaw the vial with gentle agitation in a 37°C water bath or a dry 37°C shaking incubator. For water bath thawing keep the O-ring out of the water.
- 2. Remove the thawed vial and wipe with 70% ethanol. Then transfer to the tissue culture hood.
- 3. Transfer the vial contents to a sterile centrifuge tube, and gently add pre-warmed Human Cardiomyocyte transdifferentiated from Human Stem Cells Growth Media to the centrifuge tube. Use additional Human Cardiomyocyte transdifferentiated from Human Stem Cells Complete Media to rinse the vial and transfer the liquid to the centrifuge tube repeat this once more to ensure you have all the cells transferred to the 15ml centrifuge tube. Centrifuge the cells at 1500 RMP for 5 minutes. Remove the supernatant and re-suspend the cell pellet in 500ul of Human Cardiomyocyte transdifferentiated from Human Stem Cells Complete Growth Medium.
- **4.** Add the 500ul of cells to T225 flask pre-coated with Human Cardiomyocyte transdifferentiated from Human Stem Cells Extra-cellular Matrix with 15ml of Human Cardiomyocyte transdifferentiated from Human Stem Cells Complete Growth Medium.
- **5.** Incubate the cells in the T225 flask in a 37°C in 5% CO<sub>2</sub> humidified incubator. Perform 100% Media Change every 24 to 48 hours.
- **6.** Medium renewal every other or 2-3 days, sub-culturing ratio: 1:3

Freezing Medium: Available for purchase Cat# M36003-04FM

**Trypsin**: Available for purchase Cat# T1509-014

**IX PBS**: Available for Purchase Cat# P1408-013

Storage temperature: Liquid nitrogen vapor phase

**Product Orders:** Before submitting an order you will be asked to read and accept the terms and

conditions of Celprogen's Material Transfer Agreement (MTA).

**Permits/Forms:** In addition to the MTA mentioned above, other CELPROGEN and/or regulatory

permits may be required for the transfer of this CELPROGEN material. Anyone purchasing CELPROGEN material is ultimately responsible for obtaining the

permits.

**Notices** 

& Disclaimers: CELPROGEN products are intended for laboratory research purposes only.

They are not intended for use in humans. This Product Human Cardiomyocyte transdifferentiated from Human Stem Cells established and manufactured by CELPROGEN Inc., and is for

Research Use Only. Cells are only guaranteed with purchase and use of Celprogen's Media and Extra Cellular Matrix for appropriate cell culture for 30 days from the date of shipment. This product is not for re-sale or may not be transferred to third

party prior to written request and approval by CELPROGEN Inc.