

MATERIAL SAFETY DATA SHEET

November 16, 2009

Version 1.1

Section A: Product and Company Information

| Product Name: | Human Melanoma Cancer Stem Cell Colony Forming Serum Free Media | |
|--|---|--|
| Product number | M36118-45CF | |
| Brand | CELPROGEN | |
| Company | CELPROGEN Inc. | |
| Street Address | 3914 Del Amo Blvd, Suite 901. | |
| City, State, Zip, Country | Torrance, CA 90503, USA | |
| Technical phone | (310) 542-8822 | |
| Emergency phone | (310) 542-8822 | |
| Fax | (310) 542-8028 | |
| Section B: Composition / Information on ingredient | | |
| Substance name CAS # | Human Melanoma Cancer Stem Cell Colony Forming Serum Free Media None | |

Section C: Hazards Identification

| HMIS Rating | Health: 0 |
|-------------|-----------------|
| | Flammability: 0 |
| | Reactivity: 0 |
| NFPA Rating | Health: 0 |
| | Flammability: 0 |
| | Reactivity: 0 |

For additional information on toxicity, please refer to section K

Section D: First Aid Measures

| Oral Exposure | If swallowed, wash out mouth with water provided person is conscious. Call a physician. |
|---------------------|---|
| Inhalation Exposure | If inhaled, remove to fresh air. If breathing becomes difficult, call a physician. |
| Dermal Exposure | In case of contact, immediately wash skin with soap and copious amounts of water. |
| Eye exposure: | In case of contact with eyes, flush with copious amounts of water for at least 20 |
| | minutes. Assure adequate flushing by separating the eyelids with fingers. Call a |
| | physician. |

Section E: Fire Fighting Measures

| Flash Point | N/A |
|---------------------|---|
| Autoignition Temp | N/A |
| Flammability | N/A |
| Extinguishing media | Suitable: water spray. Carbon dioxide, dry chemical powder, or appropriate foam. |
| Fire Fighting | Protective Equipment: wear self-contained breathing apparatus and protective clothing |
| | to prevent contact with skin and eyes. Specific Hazard(s): may emit toxic fumes under |
| | fire conditions. |

3914 Del Amo Blvd, Suite 901. Torrance, CA 90503 Ph: 310 542 8822; fax: 310 542 8028 http://www.celprogen.com



Section F: Accidental release measures

| Procedure(s) of personal precaution(s) | Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust. |
|--|---|
| Methods for cleaning up: | Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete. |

Section G: Handling and Storage

| Handling | User exposure: avoid inhalation. Avoid contact with eyes, skin, and clothing. Avoid |
|----------|---|
| | prolonged or repeated exposure. |
| Storage | Suitable: keep tightly closed. Store at 2-8°C |

Section H: Exposure Control / Personal Protective Equipment (PPE)

| Engineering Controls: | Safety shower and eye bath. Mechanical exhaust required. | |
|-------------------------------|--|-------------------------|
| Personal Protective Equipment | Respiratory: | Wear dust mask |
| | Hand: | Protective gloves |
| | Eye: | Chemical safety goggles |
| General Hygiene Measures | Wash thoroughly | after handling. |

Section I: Physical / Chemical Properties

| Appearance | N/Ā |
|-----------------------|---|
| Property | Valued at the specified storage temperature and pressure. |
| Molecular weight | N/A |
| pH | N/A |
| BP/ BP range | N/A |
| MP/MP range | N/A |
| Freezing point | N/A |
| Vapor pressure | N/A |
| Vapor Density | N/A |
| Saturated Vapor Conc. | N/A |
| SG/ Density | N/A |
| Bulk Density | N/A |
| Odor Threshold | N/A |
| Volatile % | N/A |
| VOC content | N/A |
| Water content | N/A |
| Solvent Content | N/A |
| Evaporation rate | N/A |
| Viscosity | N/A |
| Surface tension | N/A |
| Partition Coefficient | N/A |
| Decomposition Temp | N/A |
| Flash point | N/A |
| Explosion limits | N/A |
| Flammability | N/A |
| Autoignition Temp | N/A |
| Refractive Index | N/A |
| Optical Rotation | N/A |
| Miscellaneous Data | N/A |
| Solubility | N/A |
| N/A = not available | |



Section J: Stability and Reactivity

| Stability Materials to avoid Hazardous Decomposition Hazardous Polymerization | Stable Strong oxidizing agents Carbon mono-oxide, carbon dioxide. Will not occur | |
|--|---|--|
| Section K: Toxicological Information | | |
| Route of exposure | Skin contact may cause skin irritation Skin absorption may be harmful if absorbed through the skin Eye contact may cause eye irritation Inhalation may be harmful if inhaled. Material may be irritating to mucous membranes and upper respiratory tract. Ingestion may be harmful if swallowed. | |
| Signs & symptoms of Exposure | To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. | |
| Section L: Disposal Considerations | | |

Appropriate method of disposal of substance or preparation:

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mixture the material with combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

Section M: Transport Information

| DOT | Proper shipping name: none |
|------|--|
| | Non-hazardous for transportation: this substance is considered to be non-hazardous for |
| | transport. |
| IATA | Non-hazardous for Air Transport: non-hazardous for air transport. |
| | |

Section N: Regulatory Information

| United States Regulatory Information SARA Listed: No | | |
|--|---|--|
| Canada Regulatory Information WHMIS Classification: This product has been classified | | |
| | accordance with the hazard criteria of CPR, and the MSDS contains | |
| | all the information required by the CPR. | |
| | DSL: No | |
| | NDSL: No | |
| | | |

Section O: Other Information

Disclaimer: For R&D use only. Not for Drug, household or other use.

WarrantyThe above information is believed to be correct but does not purport to be all inclusive and shall
be used only as a guide. The information in this document is based on the present state of our
knowledge and is applicable to the product with regard to appropriate safety precautions. It
does not represent any guarantee of the properties of the product. CELPROGEN Inc. shall not
be held liable for any damage resulting from handling or from contact with the above product.

3914 Del Amo Blvd, Suite 901. Torrance, CA 90503 Ph: 310 542 8822; fax: 310 542 8028 http://www.celprogen.com